



The Olympus News

We are your cabinet lock innovators.

July 2009

A publication of
Olympus Lock, Inc.

IN THIS ISSUE

New! 329R/429R

New! 929R and FC10

New! Key Retaining

Product Spotlight: DCP
Padlockable Cam Lock


Current Literature

OLYMPUS
LOCK, INC.

18424 Highway 99
Lynnwood, WA 98037
206-362-3290
800-525-0954
Fax 206-362-3569
www.olympus-lock.com
info@olympus-lock.com

Now in Stock
National or CCL Keyway

New!



329R & 429R
Series Ratchet
Lock

General Features:

Function: Ratchet lock
Rekeyable: Easily rekeyable via speed-release cylinder release mechanism
U.S. Patent Nos: 5,121,619
Body: Zinc die cast lock body
Cylinder: Solid brass pin tumbler
Strap: Strap fits 1/4" material
Finish: 26D
Packaged: Packed 10 per box

329R Features:

Keyway: National D4291 (4 pin) or D4292 (5 pin) keyway
Stock keying: KD/KA - 4 pin standard
Stock KA#s: 101, 103, 107, 915
Masterkeying: 5 pin standard
Keyblank 4-pin: KBN-4-NP
Keyblank 5-pin: KBN-5-NP

429R Features:

Keyway: CCL R1 keyway
Stock keying: KD/KA - 5 pin standard
Stock KA#s: 4T21579, 4T37526
Masterkeying: 5 pin standard
Keyblank 5-pin: KBR-5-NP

Part #	Keyway	Finish	Fits Material	Pinning	Pin Tumbler Keying	List Each
329R	National	26D	For 1/4" panels	4 pin	KD, KA 101,103,107,915	\$37.00
329R	National	26D	For 1/4" panels	5 pin	Custom, non-stock or master keyed	\$39.40
429R	CCL	26D	For 1/4" panels	5 pin	KD, KA 4T21579, 4T37526	\$41.00
429R	CCL	26D	For 1/4" panels	5 pin	Custom, non-stock or master keyed	\$44.80

New Items: 929R + FC10

929R Ratchet Lock



General features:

Function: Key removable in locked and unlocked position.

Uses: Wood or glass doors

Body: Zinc die cast

Strap: Steel

Finish: 26D

Keying Information:

Cylinder: Less cylinder

Accepts the following large format/full-size IC cylinders:

- Schlage Quad, Numbered Section, and Schlage Classic IC cores
- Schlage Primus® and Everest large format IC cores
- Keymark large format IC Cores
- Mul-T-Lock large format IC cores

Includes:

729RS-1 strap for 3/16" to 1/4" material thicknesses

725-PA plastic actuator

Optional Accessories:

729RS-2 strap for 3/8" material thickness

729RS-3 strap for up to 5/8" material thickness

See Also:

Installation notes

Architectural specifications



Part #	Finish	Size	Description	Weight	List Each
929R*	26D	For 1/4" panels	Ratchet lock for sliding doors	6.5 lbs/box	\$53.00

Part #	Description	Packed	List Each
729RS-2	Optional strap for 3/8" panel thickness	Packed Each	\$7.26
729RS-3	Optional strap for maximum 5/8", minimum 3/8" panel thickness	Packed Each	\$11.00

*929R ships standard with 729RS-1 strap for 1/4" panel thickness.

FC10 File Cabinet Lock Kit

Coming 4th Quarter 2009

General Features:

Rekeyable: Working top-slide, patented "cylinder retainer staple" and removable bezel ring make rekeying fast and easy.

Retrofit: Replacement for HON F24/F28 style vertical file cabinet locks.

U.S. Patent No: 5,038,589

Material: Zinc die cast lock body

Includes: Brass mounting nut

Barrel diameter: 3/4"

Across flats: 5/8"

Finish: 26D

Packaged: Packed 10 per box

Optional Accessories:

T37-NKIT - Number plate kit, eliminates need to stamp face of lock. Replacement number ring plates available.

Keying Information:

Keyway: National D4291 (4 pin) or D4292 (5 pin) keyway

Stock keying: KD/KA - 4 pin standard

Stock KA#: 101, 103, 107, 915

Masterkeying: 5 pin standard

Keyblank 4-pin: KBN-4-NP

Keyblank 5-pin: KBN-5-NP

See Also:

Installation notes

Rekeying instructions

Architectural specifications



Replacement kit for HON F24/F28 style vertical file cabinet locks.

Part #	Finish	Fits	Pinning	Pin Tumbler Keying	Weight	List Each
FC10	26D	HON vertical file cabinets*	4 pin	KD, KA 101,103,107,915	2.5 lbs/box	\$26.00
FC10	26D	HON vertical file cabinets*	5 pin	Custom, non-stock or master keyed	2.5 lbs/box	\$28.40

* Direct replacement for HON F24/F28 style file cabinet lock. Includes all parts necessary for complete lock replacement.


Product Spotlight: Key Retaining

Key Retaining Function


Now available as an option on our 100, 200, 500, 600, 700, 800 Series locks.



*Locks need to be ordered handed.
Specify door RH, LH or drawer VH, IH*



Add \$5.00 to the July 1, 2008 list price for key-retaining function.



Product Spotlight: DCP Padlockable Cam Lock

DCP Padlockable Cam Lock

Ideal for locker applications!

General features:

Function: Cam lock for use with padlock as locking device. Functions on doors or drawers. Ideal for locker applications.

Through-hole: 0.4"

Padlocks: Available separately from Olympus Lock, Inc.

Max. material thickness: 1-1/8"

Barrel diameter: 3/4"

Finish: US26, US3, US19

Packaged: Packed 10 per box

Optional Accessories:

See cams (bottom right).

Includes:


DCNP-500-ARP stabilizer plate
DCP-SC straight 7/8" cam
DCP-LC straight 1-1/4" cam
Spacer ring

Padlocks:

See Olympus Lock's complete line of brass padlocks for use with the DCP. Will also work most other manufacturer's padlocks with shackle diameter of 3/8" (10 mm) or less.



Part #	Finish	Fits Material	Description	List Each
DCP	US26, US3, US19	1-7/32"	Accepts most standard padlocks	\$15.40
Additional Cams (see Cam # below)			Packed Each	\$1.50



Straight Cams:

Part No.	Dim. A
DCP-58	5/8"
DCP-SC**	7/8"
DCP-LC**	1-1/4"
DCP-LC-112	1-1/2"
DCP-LC-134	1-3/4"
DCP-LC-225	2-1/4"
DCP-LC-250	2-1/2"

Offset Cams:

Part No.	Dim. A	Dim. B
DCP-1-14	1"	1/4"
DCP-LBC	1-1/4"	1/4"
DCP-118-18	1-1/8"	1/8"
DCP-LBC-138	1-3/8"	3/8"
DCP-LBC-178	1-7/8"	1/2"
DCP-112-14	1-1/2"	1/4"

Current Literature

Current Literature

Contact your Olympus Lock representative, call Olympus directly at 800-525-0954 or email info@olympus-lock.com for the most recent version of our catalogs, price list or poster.

Price list: July 1, 2008 - Rev. 1

Product catalog: May 2008

Condensed catalog: September 2008




Poster: 2006

Business Hours

7:00 am to 4:00 pm Pacific Time.

Web Site

www.olympus-lock.com



Copyright © 2009 Olympus Lock, Inc.

Olympus Lock, Inc.
PO Box 1277
Lynnwood, WA 98046